Sankalpana Foundation's



ARNAV AYURVEDIC MEDICAL COLLEGE & C.N.S. AYURVEDIC CHIKITSALAYA

Ref. No.:

Date:

LIST OF HOSPITAL

| Particulars | Quantity |
|---|--------------------|
| Cots with beds (simple/semi fowler/fowler) | 60 |
| Side tables | Adequate available |
| Side curtains | Adequate available |
| Window curtains | Adequate available |
| Bathrooms with & WC in each Ward Geyser | Adequate available |
| Food trolleys | Adequate available |
| Urine pots | Adequate available |
| Stool pots | Adequate available |
| Nursing stations | Adequate available |
| Allopathic emergency medicine trolley's | Adequate available |
| Ayurvedic Medicine trolley's | Adequate available |
| Charts/Model to educate patients | Adequate available |
| Lights/Fans/Furnitures | Adequate available |
| Stretchers | Adequate available |
| Wheel chairs | Adequate available |
| Fully equipped O.T. | Adequate available |
| Fully equipped Shalakya O.T. | Adequate available |
| Fully equipped Ksharsutra section | Adequate available |
| Fully equipped SRPT procedure Room | Adequate available |
| Fully equipped Shalakya procedure Room | Adequate available |
| Fully equipped emergency (Atyaik) | Adequate available |
| Fully equipped Physiotherapy | Adequate available |
| Fully equipped Radiology | Adequate available |
| Fully equipped OPD's | Adequate available |
| Fridges | Adequate available |
| Water Coolers | Adequate available |
| Aquaguards | Adequate available |
| 24 hrs. Pantry/Kitchen | Adequate available |
| Mortuary | Adequate available |
| · 1 a · cc/a 1/ | Adequate available |
| Hospital Staff/Consultants Fire Safety The Safety | Adequate available |
| O2 Supply | Adequate available |

Satrikh - Harakh Road, Satrikh, Barabanki (U.P.)-225122, Tel : (05248) 297292, Mob. : 8935003257, 9839182544
Website: http://www.arnavayurvedicmedicalcollege.com, E-mail: dr.pratibhasachan@gmail.com, principal.arnavamc@gmail.com

| Full ventilation | Adequate available |
|--|--------------------|
| Pharmacy | Adequate available |
| Autoclave Room | Adequate available |
| LAN Connection Web based Software System | Adequate available |
| Space for Circulation | Adequate available |
| RAMP | Adequate available |
| Administrative Block | Adequate available |
| Area space as per MSR | Adequate available |
| Waiting area | Adequate available |
| Store | Adequate available |
| Dressing/First Aid/Ksharsutra Room | Adequate available |
| Panchkarma Block | Adequate available |
| Contractual Staff | Adequate available |
| Wards | Adequate available |
| Consumables | Adequate available |
| Yoga Section | Adequate available |
| ECG Machine | Adequate available |
| Defibrillator | Adequate available |
| Portable X-Ray | Adequate available |
| Monitors | Adequate available |
| Bio-waste Management | Adequate available |
| STP Plant | Adequate available |
| Solar System | Adequate available |
| Bed Occupancy | Adequate available |
| Kits | Adequate available |
| Reagents | Adequate available |
| Solutions | Adequate available |
| Equipments | Adequate available |
| Amenities Infrastructure | Adequate available |
| Dressing Kit | Adequate available |
| 24 hrs. Generator System | Adequate available |
| 24 hrs. Security | Adequate available |
| Ambulance | Adequate available |
| Neonatal | Adequate available |
| NICU | Adequate available |
| Labour Room | Adequate available |
| Weight Machine | Adequate available |
| Height measuring chart | Adequate available |
| IV Stands | Adequate available |
| Tractions with weight | Adequate available |
| All other things as per MSR | Adequate available |
| Dr. Pratibha Sachan | |